

TEST REPORT

LAB NO. : (9315)128-0349-R1 DATE : May 22, 2015 PAGE : 1 OF 8

The report is amendment of and supersedes the previous report (9315)128-0349 dated May 18, 2015

APPLICANT : KYSAN ELECTRONICS INC

820 CHARCOT AVENUE, SAN JOSE, CALIFORMIA 95131, USA

CONTACT PERSON : Tony Su

DATE OF SUBMISSION: May 08, 2015

TEST PERIOD : May 08, 2015 to May 18, 2015

NO. OF WORKING DAYS : 7

SAMPLE DESCRIPTION : Step Motor

Color:

Style No.: 42BYG,57BYG, 85BYG, 86BYG, 110BYG,35BYG, 28BYG,

39BYG

P.O. No.:

Country of Origin: /

Country of Destination: /

MANUFACTURER : /

SUMMARY OF TEST RESULTS

TEST REQUESTED	CONCLUSION	REMARK
European Council Directive 2011/65/EU on the		
Restriction of the Use of Certain Hazardous	PASS	
Substances in Electrical and Electronic Equipment	17135	
(RoHS)		

No. 183, Shinan Road, Meilin Plaza Block B, Dongchong, Nansha, Guangzhou, Guangdong Province, China 511453 Tel: (86) 20 2290 2088 Fax:(86) 20 3490 9303 Email: BVCPS_pyinfo@cn.bureauveritas.com Website:cps.bureauveritas.com This report is governed by, and incorporates by reference, the Conditions of Testing as posted at the date of issuance of this report at http://www.mtl-acts.com and is intended for your exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our prior written permission. This report sets forth our findings solely with respect to the test samples identified herein. The results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. Our report includes all of the tests requested by you and the results thereof based upon the information that you provided to us. You have 60 days from date of issuance of his report to notify us of any material error or omission caused by our negligence, provided, however, that such notice shall be in writing and shall specifically address the issue you wish to raise. A failure to raise such issue within the prescribed time shall constitute your unqualified acceptance of the completeness of this report, the tests conducted and the correctness of the report contents.



LAB NO. : (9315)128-0349-R1 DATE : May 22, 2015

PAGE : 2 OF 8

BUREAU VERITAS CONSUMER PRODUCTS SERVICES (GUANGZHOU) CO., LTD

NINA REN

SECTION MANAGER

REMARK

If there are questions or concerns on this report, please contact the following persons:

GENERAL TEL: (86)755 83437287 a) FAX: (86)755 83439100 b) BUSINESS SZ TEL: (86)755 21534695 (86)755 83439100 FAX: BUSINESS GZ TEL: (86) 20 87148525

FAX: (86) 20 87148528

EMAIL: eechemical.sc@cn.bureauveritas.com

WEBSITE cps.bureauveritas.cn



LAB NO. : (9315)128-0349-R1
DATE : May 22, 2015
PAGE : 3 OF 8


Photo of the Submitted Sample





LAB NO. : (9315)128-0349-R1 DATE : May 22, 2015 PAGE : 4 OF 8

Photograph of test item(s)





LAB NO. : (9315)128-0349-R1 DATE : May 22, 2015

PAGE : 5 OF 8

TEST RESULT

Compliance Test - European Council Directive 2011/65/EU on the Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment (RoHS)

Test Method: See Appendix.

Test Item(s)	Item / Component Description(s)	Location(s)	Style(s)
1	Black plastic	Female connector	-
2	Silvery plated coppery metal	Female connector	-
3	Black printed red soft plastic	Wire jacket	-
4	Black printed yellow soft plastic	Wire jacket	-
5	White printed blue soft plastic	Wire jacket	-
6	White printed green soft plastic	Wire jacket	-
7	Silvery plated coppery metal	Wire	-
8	Black/ printed silvery plastic with adhesive	Label	-
9	Metallic blue plated silvery metal	Screw	-
10	Silvery metal	Endbell	-
11	Silvery metal	Ring	-
12	Black coated silvery metal	Ring	-
13	translucent plastic	Clip	-
14	Translucent plastic	Coil holder	-
15	Translucent plastic	Plate	-
16	Silvery metal with green coating	Rotor	-
17	Coppery metal	Coil	-
18	White thread	Wire	-
19	Black plated silvery metal	Case	-
20	Silvery metal	Bead	-
21	Silvery metal	Cover, bearing	-
22	Dark brown plastic	Bead holder	-
23	Silvery metal	Case, bearing	-
24	Silvery metal	Ring, bearing	-
25	Silvery metal	Shaft	-
26	Translucent plastic	Ring	-
27	Silvery magnet	Rotor	-

See Analytes and their corresponding Maximum Allowable Limit in Appendix

-	Result						
Parameter	Lead (Pb)	Cadmium (Cd)	Mercury (Hg)	Chromium VI (Cr VI)	PBBs	PBDEs	Conclusion
Unit	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	-
Test Item(s)	-	ı	ı	-	ı	ı	-
1	ND	ND	ND	ND	ND*	ND*	PASS
2	ND	ND	ND	ND	NA	NA	PASS
3	ND	ND	ND	ND	ND	ND	PASS
4	ND	ND	ND	ND	ND	ND	PASS
5	ND	ND	ND	ND	ND	ND	PASS
6	ND	ND	ND	ND	ND	ND	PASS
7	ND	ND	ND	ND	NA	NA	PASS
8	ND	ND	ND	ND	ND	ND	PASS
9	ND	ND	ND	Negative*	NA	NA	PASS
10	< 500	ND	ND	ND	NA	NA	PASS



LAB NO. : (9315)128-0349-R1 DATE : May 22, 2015 PAGE : 6 OF 8

-	Result							
Parameter	Lead (Pb)	Cadmium (Cd)	Mercury (Hg)	Chromium VI (Cr VI)	PBBs	PBDEs	Conclusion	
Unit	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	-	
Test Item(s)	-	-	-	-	-	-	-	
11	ND	ND	ND	Negative*	NA	NA	PASS	
12	ND	ND	ND	Negative*	NA	NA	PASS	
13	ND	ND	ND	ND	ND	ND	PASS	
14	ND	ND	ND	ND	ND	ND	PASS	
15	ND	ND	ND	ND	ND	ND	PASS	
16	ND	ND	ND	Negative*	NA	NA	PASS	
17	ND	ND	ND	ND	NA	NA	PASS	
18	ND	ND	ND	ND	ND	ND	PASS	
19	ND	ND	ND	Negative*	NA	NA	PASS	
20	ND	ND	ND	Negative*	NA	NA	PASS	
21	ND	ND	ND	ND	NA	NA	PASS	
22	ND	ND	ND	ND	ND	ND	PASS	
23	ND	ND	ND	Negative*	NA	NA	PASS	
24	ND	ND	ND	Negative*	NA	NA	PASS	
25	ND	ND	ND	Negative*	NA	NA	PASS	
26	ND	ND	ND	ND	ND	ND	PASS	
27	ND	ND	ND	ND	ND	ND	PASS	

Note / Key:

ND = Not detected ">" = Greater than

NR = Not requested mg/kg = milligram(s) per kilogram = ppm = part(s) per million

% = percent 10000 mg/kg = 1 %

Detection Limit: See Appendix.

Remark:

- The testing approach is listed in table of Appendix.
- * denotes as reported result(s) was (were) performed by wet chemistry method. Others were screened by XRF. For XRF screening, the result(s) of Cr VI was (were) reported as total chromium and the result(s) of PBBs and PBDEs was (were) reported as total bromine. Also, the XRF result(s) may be different to the actual content based on various factors including, but not limit to, sample size, thickness, area, non-uniformity composition, surface flatness.
- Only selected example(s) is (are) indicated on the photograph(s) in Comment.
- According to European Council Directive 2011/65/EU, Article 5 "Adaptation of the Annexes to scientific and technical progress", exemption(s) should be granted to the materials and components of Test Item(s) in the lists in Annexes III and IV of this directive.



LAB NO. : (9315)128-0349-R1
DATE : May 22, 2015
PAGE : 7 OF 8

APPENDIX

	List of Analytes and their Corresponding Test Methods, Detection Limit and Maximum Allowable Limit [Compliance Test for European Parliament and Council Directive 2011/65/EU]:							
	N 64 14		Detection Li	mit (mg/kg)		3.6 .		
NT.		X-ray	fluorescence (Maximum Allowable			
No.	Name of Analytes	Plastic	Metallic / glass / ceramic	Others	Wet Chemistry	Limit (mg/kg)		
1	Lead (Pb)	100	200	200	10 ^[b]	1 000		
2	Cadmium (Cd)	50	50	50	10 ^[b]	100		
3	Mercury (Hg)	100	200	200	10 ^[c]	1 000		
4	Chromium (Cr)	100	200	200	NA	NA		
5	Chromium VI (Cr VI)	NA	NA	NA	3 ^[g, h] / 10 ^[d] / See ^[e, j]	1 000 / Negative ^[j]		
6	Bromine (Br)	200	NA	200	NA	NA		
7	Polybromobiphenyls (PBBs) - Bromobiphenyl (MonoBB) - Dibromobiphenyl (DiBB) - Tribromobiphenyl (TriBB) - Tetrabromobiphenyl (TetraBB) - Pentabromobiphenyl (PentaBB) - Hexabromobiphenyl (HexaBB) - Heptabromobiphenyl (HeptaBB) - Octabromobiphenyl (OctaBB) - Nonabromobiphenyl (NonaBB) - Decabromobiphenyl (DecaBB)	NA	NA	NA	Each 50 ^[f]	Sum 1 000		
8	Polybromodiphenyl ethers (PBDEs) - Bromodiphenyl ether (MonoBDE) - Dibromodiphenyl ether (DiBDE) - Tribromodiphenyl ether (TriBDE) - Tetrabromodiphenyl ether (TetraBDE) - Pentabromodiphenyl ether (PentaBDE) - Hexabromodiphenyl ether (HexaBDE) - Heptabromodiphenyl ether (HeptaBDE) - Octabromodiphenyl ether (OctaBDE) - Nonabromodiphenyl ether (NonaBDE) - Decabromodiphenyl ether (DecaBDE)	NA	NA	NA	Each 50 ^[f]	Sum 1 000		

NA = Not applicable

- [a] Test method with reference to International Standard IEC 62321-3-1: 2013.
- [b] Test method with reference to International Standard IEC 62321-3-5: 2013.
- [c] Test method with reference to International Standard IEC 62321-3-4: 2013.
- [d] Polymers and Electronics Test method with reference to European Standard EN 62321: 2009, Annex C.
- [e] Metal Test method with reference to European Standard EN 62321: 2009, Annex B^[i].
- Test method with reference to European Standard EN 62321: 2009, Annex A.
- [g] Leather Test method International Standard ISO 17075: 2007.
- Other Than Metal, Leather, Polymers and Electronics Test method with reference to International Standard ISO 17075: 2007.
- The principle of this method was evaluated and supported by two studies organized by IEC TC 111 WG3. These studies were focused on detecting the presence of Cr VI in the corrosion protection coatings on metallic samples. Result(s) of Cr VI for metallic material(s) was (were) expressed in term of positive and negative. Negative means the absence of Cr VI on the tested areas and the result(s) was (were) regarded as in compliance with European
- Parliament and Council Directive 2011/65/EU, Article 4(1). While, positive means the presence of Cr VI on tested areas and the result(s) was (were) regarded as in conflict with European Parliament and Council Directive 2011/65/EU, Article 4(1).



LAB NO. : (9315)128-0349-R1
DATE : May 22, 2015
PAGE : 8 OF 8

Testing Approach [Compliance Test for European Parliament and Council Directive 2011/65/EU]:

The testing approach was with reference to the following document(s).

- 1 International Standards IEC 62321-1: 2013 and IEC 62321-2: 2013
- 2 "RoHS Enforcement Guidance Document Version 1" by EU RoHS Enforcement Authorities Informal Network. (May 2006)
- 3 "RoHS Regulations Government Guidance Notes" by United Kingdom Department for Business Innovation & Skills. (February 2011)
- 4 "Final Report to RoHS substances (Hg, Pb, Cr(VI), Cd, PBB and PBDE) in electrical and electronic equipment in Belgium" by Belgium Federal Public Service Health, Food Chain Safety and Environment. (November 2005)